

# Bibliography

- [1] H. Haken, *Synergetics*, Springer-Verlag, (Berlin 1978).
- [2] H. Poincaré, *Les Methodes Nouvelles de la Méchanique Céleste*, Gautiers-Villars, (Paris 1892). In English: N.A.S.A. Translation TT F-450/452 (U.S. Fed. Clearinghouse, Springfield, 1967).
- [3] See, e.g., H. G. Schuster, *Deterministic Chaos*, Physik-Verlag, (Weinheim, Germany 1984).
- [4] B. Mandelbrot, *Fractals*, Freeman, (San Francisco 1977).
- [5] D. Ruelle and F. Takens, Comm. Math. Phys. **70**, 167 (1971).
- [6] P. Manneville and Y. Pomeau, Phys. Lett. **75 A**, 1 (1979).
- [7] M. J. Feigenbaum, Los Alamos Sci. **1**, 4 (1980).
- [8] H. D. Abarbanel, R. Brown, I. Sidorowich, and L. S. Tsimring, Rev. Mod. Phys. **65**, 1331 (1993).
- [9] M. C. Cross and P. C. Hohenberg, Rev. Mod. Phys. **65**(3), 851 (1993).
- [10] P. Manneville, *Dissipative Structures and Weak Turbulence*, Academic Press, (NY 1990).
- [11] T. Benjamin and J. Feir, J. Fluid mech. **27**, 41 (1967).
- [12] Kardar, Parisi, and Zhang, Phys. Rev. Lett. **56**, 889 (1986).
- [13] A. T. Bergerud, Scientific Am. **319/2** (1984).
- [14] A. Gierer and H. Meinhard, Kybernetik **12**, 30 (1972).
- [15] B. Mandelbrot, *Fractals in Nature*, Freeman, (San Francisco 1977).

- [16] F. H. Busse, Fundamentals of thermal convection, in W. R. Peltier, editor, *Mantle convection, Plate Tectonics and Global Dynamics*, Gordon and Breach, (1989).
- [17] F. Busse and C. Carrigan, Science **191**, 81 (1976).
- [18] R. Kühne, Physikalische Blätter **47**, 201 (1991).
- [19] L. P. Glass, P. Hunter, and A. McCulloch, *Theory of Heat*, Springer, NY, 1991. For further references see also [9].
- [20] Lord Rayleigh, Proc. R. Soc. London Ser. A **93**, 148 (1916).
- [21] H. Bénard, Ann. Chim. Phys. (Ser. 23) **7**, 62 (1900).
- [22] J. K. Platten and J. C. Legros, *Convection in Liquids*, Springer, (NY 1984).
- [23] G. Ahlers, Experiments on thermally driven convection, in L. Kramer and A. Buka, editors, *Pattern Formation in Liquid Crystals*, Springer, (NY 1995).
- [24] L. Kramer and W. Pesch, Annu. Rev. Fluid Mech. **27**, 515 (1995).
- [25] P. de Gennes and J. Prost, *The Physics of Liquid Crystals*, Clarendon, (Oxford 1993).
- [26] J. L. Ericksen, Arch. Ration. Mech. Anal. **4**, 231 (1960).
- [27] F. M. Leslie, Quart. J. Mech. Appl. Math. **19**, 357 (1966).
- [28] L. M. Blinov, *Electrooptical and Magnetooptical Properties of Liquid Crystals*, John Wiley, (NY 1983).
- [29] L. M. Blinov and V. G. Chigrinov, *Electrooptical Effects in Liquid Crystal Materials*, Springer, (NY 1994).
- [30] M. Dennin, D. S. Cannell, and G. Ahlers, Mol. Cryst. Liq. Cryst **261**, 377 (1995).
- [31] M. Dennin, *A Study in Pattern Formation: Electroconvection in Nematic Liquid Crystals*, Phd dissertation, University of Santa Barbara, (1995).
- [32] M. Dennin, G. Ahlers, and D. S. Cannell, Measurement of material parameters of the nematic crystal I52, in P. Cladis and P. Palffy-Muhoray, editors, *Spatio-temporal patterns in nonequilibrium complex systems*, page 343, Addison-Wesley, (NY 1994).
- [33] E. F. Carr, Mol. Cryst. Liq. Cryst. **7**, 253 (1969).

- [34] W. Helfrich, J. Chem. Phys. **51**, 4092–4105 (1969).
- [35] R. Williams, J. Chem. Phys **39**, 384 (1963).
- [36] A. Kapustin and L. Larinova, Kristallografya **9**, 297 (1963).
- [37] A. Joets and R. Ribotta, J. Phys.(Paris) **47**, 595–606 (1986).
- [38] S. Kai and K. Hirakawa, Prog. Theor. Phys. Suppl. **64**, 212 (1978).
- [39] I. Rehberg, S. Rasenat, M. de la Torre Juarez, W. Schöpf, F. Hörner, G. Ahlers, and H. R. Brand, Phys. Rev. Lett **67**, 596 (1991).
- [40] I. Rehberg, B. L. Winkler, M. de la Torre Juarez, S. Rasenat, and W. Schöpf, Advances in Solid State Physics **29**, 35 (1989).
- [41] I. Rehberg, S. Rasenat, and V. Steinberg, Phys. Rev. Lett. **62**, 756–59 (1989).
- [42] M. Dennin, M. Treiber, L. Kramer, G. Ahlers, and D. Cannell, Phys. Rev. Lett. **76**, 319 (1996).
- [43] I. Rehberg, F. Hörner, and G. Hartung, J. Stat. Phys. **64**, 1017 (1991).
- [44] I. Rehberg, F. Hörner, L. Chiran, H. Richter, and B. Winkler, Phys. Rev. A **44**, 7885 (1991).
- [45] Orsay Liquid Crystal Group, Phys. Rev. Lett. **26**, 1642 (1970).
- [46] P. A. Penz and G. W. Ford, Phys. Rev. A **6**, 414 (1972).
- [47] W. Zimmermann and L. Kramer, Phys. Rev. Lett. **55**, 402–5 (1985).
- [48] E. Bodenschatz, W. Zimmermann, and L. Kramer, J. Phys. France **49**, 1875 (1988).
- [49] L. Kramer, E. Bodenschatz, W. Pesch, W. Thom, and W. Zimmermann, Liquid Crystals **5**(2), 699–715 (1989).
- [50] L. Kramer and W. Pesch, Electrohydrodynamic instabilities in nematic liquid crystals, in L. Kramer and A. Buka, editors, *Pattern Formation in Liquid Crystals*, Springer, (NY 1996).
- [51] S. Chandrasekhar, *Liquid Crystals*, University Press, (Cambridge 1977).
- [52] W. Zimmermann, On travelling waves in electrohydrodynamic convection in nematics, in J. M. Coron, J. Ghidaglia, and F. Helein, editors, *Nematics: Mathematical and Physical Aspects*, volume 332 of *C*, page 401, Kluwer Acad. Publishers, (Dordrecht 1991).

- [53] C. W. Oseen, Trans.Far.Soc. **29**, 883 (1933); H. Zöcher, Trans.Far.Soc. **29**, 945 (1933); F.C. Frank, Disc.Far.Soc. **25**, 19 (1958).
- [54] L. D. Landau and E. M. Lifshitz, *Fluid Mechanics*, Addison Wesley, (Reading, MA 1959).
- [55] D. Forster, *Hydrodynamic Fluctuations, Broken Symmetry and Correlation Functions*, Benjamin, (Reading, MA 1975).
- [56] P. Martin, O. Parodi, and P. Pershan, Phys. Rev. A **6**, 2401 (1972).
- [57] M. Liu, Phys. Rev. Lett. **70**, 3580 (1993).
- [58] H. Pleiner and H. R. Brand, Hydrodynamics and electrohydrodynamics of nematic liquid crystals, in L. Kramer and A. Buka, editors, *Pattern Formation in Liquid Crystals*, Springer, (NY 1996).
- [59] K. Henjes and M. Liu, Ann. Phys. **223**, 243 (1993).
- [60] For recent reviews on RBC in NLC's, see e.e. P. J. Barrat, *Liquid crystals* **4**, 3 (1989) or Ref. [23].
- [61] E. Dubois-Violette, Solid State Commun. **14**, 767–71 (1974).
- [62] Q. Feng, *Patterns and Instabilities of Rayleigh–Bénard Convection in Nematic Liquid Crystals*, Phd dissertation, University of Bayreuth, (1992).
- [63] M. Liu, Phys. Rev. Lett. **70**, 3580 (1993).
- [64] R. B. Meyer, Phys. Rev. Lett. **22**, 918 (1969); N. Madhusudana and G. Durand, J. Phys. Paris **46**, L 195 (1985).
- [65] W. Decker and W. Pesch, J.Phys.II France **4**, 493 (1994).
- [66] R. B. Meyer, Phys. Rev. Lett. **22**, 918 (1969); N. Madhusudana and G. Durand, J. Phys. Paris **46**, L 195 (1985). It seems that one usually measures a combination of the usual static and a dynamic flexoelectric effect with unknown ratio. Often, not even the sign of the flexoelectric coefficients is known. (H. R. Brand, private communication).
- [67] L. Onsager, Phys. Rev. **37**, 405 (1931).
- [68] L. D. Landau and E. M. Lifshitz, *Statistical Physics*, Pergamon, (London 1958).
- [69] N. G. V. Kampen, *Stochastic processes in physics and chemistry*, North-Holland, (Amsterdam 1990).

- [70] E. Dubois-Violette, G. Durand, E. Guyon, P. Manneville and P. Pieranski, *Solid State Phys.*, Edited by L. Liebert, Academic Press, 1978, Suppl. 14.
- [71] S. DeGroot and P. Mazur, *Nonequilibrium thermodynamics*, Dover, (NY 1984).
- [72] M. J. Stephen and J. P. Straley, Rev. Mod. Phys. **46**, 617 (1974).
- [73] S. Chandrasekhar, *Hydrodynamic and Hydromagnetic Stability*, Clarendon, (Oxford 1961).
- [74] O. Parodi, J. Phys.(Paris) **31**, 581 (1970).
- [75] F. H. Busse and E. W. Bolton, J. Fluid mech. **146**, 115 (1984).
- [76] A. Hertrich, *Elektrohydrodynamische Instabilitäten in nematischen flüssigen Kristallen mit nichttrivialen Grundzuständen*, Phd dissertation, University of Bayreuth, (1995).
- [77] M. Kaiser, *Amplitudengleichungen für die elektrohydrodynamische Instabilität in nematischen Flüssigkristallen*, Phd dissertation, University of Bayreuth, (1992).
- [78] Eber, private communication.
- [79] L. I. Bergé, G. Ahlers, and D. S. Cannell, Phys. Rev. E **48**, 3236 (1993).
- [80] R. Chang and J. Richardson, Mol. Cryst. Liq. Cryst **28**, 189 (1973).
- [81] R. Turnbull, J. Phys. **D6**, 1745 (1973).
- [82] N. Felici, Revue générale de l' electricité **78**, 717 (1969).
- [83] G. Brière, R. Herino, and F. Mondon, Mol. Cryst. Liq. Cryst. **19**, 157 (1972).
- [84] H. Naito, M. Okuda, and A. Sugimura, Phys. Rev. A **44**, 3434 (1991).
- [85] H. Naito, K. Yoshida, and A. Sugimura, J. Appl. Phys **73**, 1119 (1993).
- [86] A. Sugimura, et al., Phys. Rev. B **43**, 8272 (1991).
- [87] D. Gennes, Comments on Solid State Physics **3**(5), 148 (1971).
- [88] D. Diguet, et al., Compt. Rend. **271B**, 954 (1970).
- [89] R. Zwanzig, J. Chem. Phys. **38**, 1603 (1963).
- [90] P. Atten and J. Lacroix, Journ. Mec. **18**, 511 (1979).

- [91] M. Treiber, unpublished.
- [92] M. Treiber and L. Kramer, Mol. Cryst. Liq. Cryst. **261**, 311 (1995).
- [93] A. Hetrich and M. Treiber, unpublished.
- [94] W. Thom, W. Zimmermann, and L. Kramer, Liq. Cryst. **4**, 309 (1989).
- [95] W. Pesch, private communication.
- [96] C. Oldano, Phys. Rev. Lett. **56**, 1098 (1986); W. Zimmermann and L. Kramer, Phys. Rev. Lett. **56**, 2566 (1986).
- [97] I. Rehberg, S. Rasenat, M. de la Torre Juarez, W. Schöpf, F.H. Hörner, G. Ahlers and H. Brand, Phys. Rev. Lett. **67**, 596 (1991).
- [98] H. Richter, *Elektrisch induzierte Instabilitäten in homöotrop und planar angeordneten nematischen Flüssigkristallen*, Phd dissertation, University of Bayreuth, (1994).
- [99] H. Lekkerkerker, J. Phys. France Lett. **38**, 277 (1977).
- [100] See e.g., P. Coullet and E. A. Spiegel, SIAM J. Appl. Math. **43**, 716, or (in German), M. G. Velarde and C. Normand, in *Chaos und Fraktale*, Spektrum der Wissenschaft, 1989, pp. 38.
- [101] D. Hurle and E. Jakeman, J. Fluid Mech. **47**, 667 (1971).
- [102] A. C. Newell and J. A. Whitehead, J. Fluid Mech. **38**, 279 (1969).
- [103] M. C. Cross, Phys. Fluids **23**, 1727 (1980).
- [104] A. C. Newell, T. Passot, and J. Lega, Annu. Rev. Fluid Mech. **25**, 399 (1993).
- [105] S. Rasenat, G. Hartung, B. Winkler, and I. Rehberg, Exp. in Fluids **7**, 412 (1989).
- [106] A. C. Newell and M. Moloney, *Nonlinear Optics*, Addison Wesley, (NY 1992).
- [107] Q. Feng, W. Pesch, and L. Kramer, Phys. Rev. A **45**, 7242–56 (1992).
- [108] Q. Feng, W. Decker, W. Pesch, and L. Kramer, J. Phys. France **II 2**, 1303 (1992).
- [109] M. Treiber, unpublished.
- [110] L. Kramer, private communication.

- [111] H. Richter, A. Buka and I. Rehberg, "Convection in a Homeotropically Aligned Nematic", to be published (homeotropically aligned specimens with  $\epsilon_a < 0$  behave in many respects similar to planarly aligned ones).
- [112] I. Rehberg, S. Rasenat, M. de la Torre Juarez, and V. Steinberg, Phys. Rev. Lett. **61**, 2448 (1988).
- [113] F. Hörner, private communication.
- [114] M. Treiber, Thermal fluctuations in pattern forming instabilities, in L. Kramer and A. Buka, editors, *Pattern Formation in Liquid Crystals*, Springer, (NY 1996).
- [115] H. Haken, *Light*, North-Holland, (NY 1981).
- [116] V. Zaitsev and M. Shliomis, Zh. Eksp. Teor. Fiz. **59**, 1583 (1970). [Sov.Phys.-JETP **32**, 866 (1971)].
- [117] R. Graham, Phys. Rev. A **10**, 1762 (1974).
- [118] P. C. Hohenberg and J. B. Swift, Phys. Rev. A **46**, 4773 (1992).
- [119] W. Schöpf and W. Zimmermann, Phys. Rev. E **47**, 1739 (1993).
- [120] M. Treiber and L. Kramer, Phys. Rev. E **49**, 3184 (1994).
- [121] J. Swift, K. Babcock, and P. Hohenberg, Physica A **204**, 625 (1994).
- [122] M. Treiber, Phys. Rev. E **53**, 577 (1996).
- [123] R. J. Deissler, J. Stat. Phys. **54**, 1459 (1989).
- [124] C. W. Gardiner, *Handbook of Stochastic Methods*, Springer, (NY 1990).
- [125] M. Treiber, *Einfluß von Fluktuationen auf feldgetriebene Übergänge in Flüssigkristallen*, Diploma thesis, University of Bayreuth, (1991).
- [126] W. Schöpf and I. Rehberg, Europhys. Lett. **17**, 321 (1992).
- [127] There is a misprint in [120], Eq. (65). Drop the factor of 2 on the right-hand side of  $\xi_i^{(n)}$ .
- [128] G. Feng, J. Moloney, and A. Newell, Phys. Rev. Lett. **71**, 705 (1993).
- [129] R. Graham, Phys. Rev. A **45**, 4198 (1992).
- [130] H. van Beijeren, J. Stat. Phys. **53**, 77 (1988).

- [131] M. Wu, G. Ahlers, and D. S. Cannell, Phys. Rev. Lett. **75**, 1743 (1995).
- [132] K. L. Babcock, G. Ahlers, and D. S. Cannell, Phys. Rev. E **50**, 3670 (1994).
- [133] The definition of the reduced control parameter is ambiguous. With  $1 + \epsilon$  proportional to the rotation  $\omega_1$  of the inner cylinder as in Ref. [121], we get for resting outer cylinder  $\tau_0^{(T)} = \tau_0^{(R)}/2$  whereas with  $\epsilon$  defined in terms of the Taylor number  $T \propto \omega_1^2$  as  $T/T_c - 1$  we have  $\tau_0^{(T)} = \tau_0^{(R)}$ .
- [134] The expression obtained from Eq. (7.37) would even (logarithmically) diverge. This is due to the contributions at very high wave numbers where this equation is not valid.
- [135] I. Rehberg, F.H. Hörner, L.Chiran, H. Richter and B.L. Winkler, Phys. Rev. A **44**, 7885 (1991).
- [136] In deriving this result, geometrical optics was applied. It is valid if  $\lambda_r^2/(\lambda_L L) \gg 1$ , where  $\lambda_r = \pi/k_c$  is the size of one roll,  $\lambda_L$  is the wavelength of the light source and  $L$  the distance from the cell to the imaging plane.
- [137] A recent generalization of the standard equations, the weak-electrolyte model, appears to explain the Hopf bifurcation in EHC, see Chapter 6, M. Treiber and L. Kramer, Mol. Cryst. Liq. Cryst. **261**, 311 (1995) and M. Dennin, M. Treiber, L. Kramer, G. Ahlers and D.S. Cannell, Phys. Rev. Lett., in Press (1996).
- [138] G. Quentin and I. Rehberg, Phy. Rev. Lett. **74**, 1578 (1995).
- [139] C. W. Meyer, G. Ahlers, and D. S. Cannell, Phys. Rev. Lett, **59**, 1577 (1987).
- [140] C. W. Meyer, G. Ahlers, and D. S. Cannell, Phys. Rev. A **44**, 2514 (1991).
- [141] W. Schöpf and I. Rehberg, J. Fluid Mech. **271**, 235 (1994).
- [142] W. Schöpf, *Theoretische und experimentelle Untersuchungen zur Konvektion in binären Flüssigkeiten*, Phd dissertation, University of Bayreuth, (1992).
- [143] G. Ahlers, private communication.
- [144] A. Buka and L. Kramer, Phys. Rev. A **45**, 5624 (1992).
- [145] H. Riecke, Physica D **61**, 253 (1992).
- [146] H. Riecke, Phys. Rev. Lett. **68**, 301 (1992).

- [147] W. H. de Jeu, W. A. P. Classen, and A. M. J. Spruijt, Mol. Cryst. Liq. Cryst. **37**, 269 (1976).
- [148] H. Knepp, F. Schneider, and N. K. Sharma, J. Chem. Phys. **77**, 3203 (1982).
- [149] U. Finkenzeller, T. Geelhaar, G. Weber, and L. Pohl, Liquid Crystals **19**, 123 (1992).

## Acknowledgements

It is a pleasure for me to thank my advisor Professor Lorenz Kramer for providing me with many insightful ideas for my thesis work, for leaving me much freedom, and, not at the least, for having encouraged me to tackle this long-time unresolved problem. I thank him also for giving me the possibility to flee some of the grueling Bayreuth winters which I spent in Santa Barbara and Tucson.

I also would like to thank Prof. G. Ahlers in Santa Barbara and Prof. A. Newell in Tucson for their hospitality. I am also indebted to Gunther Ahlers for providing me with some experimental results prior to publication and giving me a careful overview of the experimental situation of thermal fluctuations and to Ingo Rehberg for helpful discussions.

I thank Armin Hertrich for providing me with a fortran code for the nontrivial basic state; he also showed me some tricks in using computers.

I thank M. Schmöger for showing me the ropes of the drawing program "top-draw". I was always able to get help at once, whenever I encountered a computer problem.

Special thanks to my parents Hanskarl and Christine Treiber for encouraging and supporting me in any aspect. I can not imagine better parents.